TECHNICAL LIBRARY

AD-A 140 658

MEMORANDUM REPORT ARBRL-MR-03347

A RELATIONSHIP BETWEEN LIQUID ROLL MOMENT AND LIQUID SIDE MOMENT

Charles H. Murphy

April 1984



US ARMY ARMAMENT RESEARCH AND DEVELOPMENT CENTER BALLISTIC RESEARCH LABORATORY

ABERDEEN PROVING GROUND, MARYLAND

Approved for public release; distribution unlimited.

DTIC QUALITY INSPECTED 3

Destroy this report when it is no longer needed. Do not return it to the originator.

Additional copies of this report may be obtained from the National Technical Information Service, U. S. Department of Commerce, Springfield, Virginia 22161.

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM		
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER		
MEMORANDUM REPORT ARBRL-MR-03347			
4. TITLE (and Subtitle)	S. TYPE OF REPORT & PERIOD COVERED		
A RELATIONSHIP BETWEEN LIQUID ROLL MOMENT AND LIQUID SIDE MOMENT	Final		
MONENT AND ETAGLE SIDE MONENT	6. PERFORMING ORG. REPORT NUMBER		
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(a)		
Charles H. Murphy			
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
US Army Ballistic Research Laboratory, ARDC ATTN: DRSMC-BLL(A)			
Aberdeen Proving Ground, MD 21005	RDT&E 1L161102AH43		
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE		
US Army AMCCOM, ARDC	April 1984		
Ballistic Research Laboratory, ATTN:DRSMC-BLA-S(A)	13. NUMBER OF PAGES		
Aberdeen Proving Ground, MD 21005	15. SECURITY CLASS. (of this report)		
14. MUNITURING AGENCI NAME & ADDRESSIT WITHOUT CONTINUES	is secont i censs. to me reporty		
	Unclassified		
	15e. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report)			
Approved for public release; distribution unlimited	4		
Approved for public release, atstribution unifinited	J.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different tro	m Report)		
18. SUPPLEMENTARY NOTES	77		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
Liquid Side Moment			
Liquid Spin Moment			
Projectile Stability			
Spinning Liquid Payloads			
20. ABSTRACT (Continue on reverse side if necessary and identity by block number) (bja)			
Spinning projectiles carrying liquid payloads and performing large coning			

motion have uniformly been observed to experience rapid despin. For linear fluid mechanics, it has been shown that the ratio of the magnitudes of the liquid roll moment to the liquid side moment is the tangent of the coning angle.

The validity of this relationship is demonstrated by gyroscope data obtained by M.C. Miller and flight data for twelve projectiles analyzed by R.L. Pope.

TABLE OF CONTENTS

		PAGE
Ι.	INTRODUCTION	5
II.	LIQUID ROLL MOMENT	6
III.	ROLL/SIDE MOMENT RELATION	9
	REFERENCES	12
	DISTRIBUTION	15

I. INTRODUCTION

In the summer of 1974, a 155mm shell with a liquid payload was fired with a yawsonde telemetry unit and this projectile developed a large amplitude coning motion. When the coning motion exceeded forty degrees, the telemetry record showed a very rapid despin of forty percent in less than five seconds. I Since 1974, ten more observations of liquid-filled projectiles with large coning motions and large despin rates have been made. In addition, thirty-six observations have been made of large coning motions and despin moments for projectiles with payloads of liquid-solid mixtures. Indeed, all observed flights of projectiles with liquid or liquid-solid payloads that performed large coning motion also experienced large losses in spin.

This characteristic association of a large despin moment with a large coning motion for a projectile with a moving payload can become a diagnostic tool. Miller ⁶ suggested using this tool to determine the existence of small-amplitude unstable liquid-induced side moments. Spin measurements made during coning motion on a gyroscope predicted flight pitch instabilities caused by very viscous liquids, and these were observed in flight. ⁷

^{1.} D'Amico, W. P., Oskay, V., and Clay, W. H., "Flight Tests of the 155mm XM687 Binary Projectile and Associated Design Modification Prior to the Nicolet Winter Test 1974-1975," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-2748, May 1977. (AD B019969).

^{2.} D'Amico, W. P., Clay, W. H., and Mark, A., "Yawsonde Data for M687-Type Projectiles with Application to Rapid Spin Decay and Stewartson-Type Spin-Up Instabilities," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03027, June 1980. (AD A089646)

^{3.} D'Amico, W. P., Clay, W. H., and Mark, A., "Diagnostic Tests for Wick-Type Payloads and High-Viscosity Liquids," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-2913, April 1979. (AD A072812).

^{4.} D'Amico, W. P., and Clay, W. H., "High Viscosity Liquid Payload Yawsonde Data for Small Launch Yaws," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-03029, June 1980. (AD A088411).

^{5.} Murphy, C. H., "Liquid Payload Roll Moment Induced by a Spinning and Coning Projectile," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Technical Report ARBRL-02521, September 1983 (AD A133681). (See also AIAA-83-2142, August 1983.)

^{6.} Miller, M. C., "Flight Instabilities of Spinning Projectiles Having Nonrigid Payloads," Journal of Guidance, Control, and Dynamics, Vol. 5, March-April 1982, pp. 151-157.

^{7.} D'Amico, W. P., and Miller, M. C., "Flight Instability Produced by a Rapidly Spinning, Highly Viscous Liquid," <u>Journal of Spacecraft and Rockets</u>, Vol. 16, January-February 1979, pp. 62-64.

The linear liquid-induced side moment was first computed by Stewartson 8 for an inviscid liquid payload by use of eigenfrequencies determined by the fineness ratio of the cylindrical container. Wedemeyer 9 introduced boundary layers on the walls of the container and was able to determine viscous corrections for Stewartson's eigenfrequencies, which could then be used in Stewartson's side moment calculation. Murphy 10 then completed the linear boundary layer theory by including all pressure and wall shear contributions to the liquid-induced side moment.

The first theoretical work on liquid-induced roll moments was done by Vaughn 11 in 1978. Although fair agreement with Miller's data was obtained, the work was marred by some hard-to-justify algebraic steps. Recently Vaughn et al 12 developed an impressive numerical capability to compute roll moments for very high viscosity liquids and obtained excellent agreement with Miller's data. In Reference 5 the linearized Navier-Stokes equations were used to develop a relationship between the liquid side moment and the liquid roll moment. It is the purpose of this note to give the results of this analysis and illustrate its predictions with yawsonde data recently analyzed by Pope. 13

II. LIQUID ROLL MOMENT

The pitching and yawing motion of a symmetric spinning projectile can be represented as the sum of two rotating exponentially growing two-dimensional vectors. In terms of complex variables, this relationship assumes the form

$$\hat{\xi} = \hat{\beta} + i \hat{\alpha} = K_1 e^{i \phi_1} + K_2 e^{i \phi_2}$$
 (2.1)

^{8.} Stewartson, K., "On the Stability of a Spinning Top Containing Liquid,"

Journal of Fluid Mechanics, Vol. 5, Part 4, September 1959, pp. 577-592.

^{9.} Wedemeyer, E. H., "Viscous Correction to Stewartson's Stability Criterion," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Report 1325, June 1966. (AD 489687).

^{10.} Murphy, C. H., "Angular Motion of a Spinning Projectile with a Viscous Liquid Payload," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03194, August 1982. (AD All8676). (See also Journal of Guidance, Control, and Dynamics, Vol. 6, July-August 1983, pp. 280-286.)

^{11.} Vaughn, H. R., "Flight Dynamic Instabilities of Fluid-Filled Projectiles," Sandia Laboratories, Albuquerque, NM, SAND 78-0999, June 1978.

^{12.} Vaughn, H. R., Oberkampf, W. L., and Wolfe, W. P., "Numerical Solution for a Spinning, Nutating, Fluid-Filled Cylinder," Sandia Laboratories, Albuquerque, NM, SAND 83-1789, December 1983.

^{13.} Pope, R. L., "Further Analysis of Yawsonde Data from Some Liquid Payload Projectiles," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report 03329, December 1983. (AD A137256)

where $\ln (K_j/K_{j0}) = \varepsilon_j \tau_j \dot{\phi}t$ $\phi_j = \phi_{j0} + \tau_j \dot{\phi}t$

 $\dot{\phi}$ is the roll rate and is assumed to be positive.

Two coordinate systems will be used in this note: the nonrolling aeroballistic \tilde{XYZ} system whose \tilde{X} -axis is fixed along the missile's axis of symmetry and the inertial XYZ system whose X-axis is tangent to the trajectory at time zero. Both coordinate systems have origins at the center of the cylindrical payload cavity, which is assumed to be at the center of mass of the projectile.

The transverse moment exerted by a liquid payload was expressed in Reference 10 in the following form.

$$M_{L\tilde{Y}} + i M_{L\tilde{Z}} = m_{L} a^{2} \dot{\phi}^{2} [\tau_{1} C_{LM_{1}} K_{1} e^{i \phi_{1}} + \tau_{2} C_{LM_{2}} K_{2} e^{i \phi_{2}}]$$
 (2.2)

where

 m_1 = mass of liquid in fully filled container

and

a = maximum radius of liquid container.

For linear fluid motion, C_{LM_1} should depend on τ_1 , ε_1 , time, Reynolds number, fill ratio, and shape of cavity. A similar remark applies to C_{LM_2} .

The C_{LM_j} are complex quantities whose imaginary parts represent in-plane moments causing rotation in the plane of exp $(i\phi_j)$ and whose real parts represent side moments causing rotation out of the plane of exp $(i\phi_j)$. Thus, C_{LM_j} can be written as

$$C_{LM_{j}} = C_{LSM_{j}} + i C_{LIM_{j}}$$
 (2.3)

where c_{LSM_j} are liquid side moment coefficients and c_{LIM_j} are liquid in-plane moment coefficients.

The liquid roll moment can now be defined in a similar way. Symmetry considerations imply an even dependence on coning amplitudes.

••
$$M_{L\tilde{X}} = m_L a^2 \dot{\phi}^2 \left[C_{LRM_0} + \tau_1 K_1^2 C_{LRM_1} + \tau_2 K_2^2 C_{LRM_2} \right]$$
 (2.4)

where C_{LRM_j} are functions of Reynolds number, fill ratio, shape of cavity, and time. In addition, for j=1 and 2, the C_{LRM_j} may be functions of τ_j , ε_j and K_j^2 . C_{LRM_0} is the roll moment coefficient exerted by the liquid during spinup and is zero when steady state is reached. For the steady-state coning motion considered in the Stewartson-Wedemeyer theory ($C_{LRM_0} = K_2 = 0$), only one roll moment coefficient is present and we will omit the subscript on τ_1

one roll moment coefficient is present and we will omit the subscript on τ_1 and $\textbf{C}_{LRM_1} \colon$

$$M_{L\tilde{X}} = m_L a^2 \dot{\phi}^2 \tau K_1^2 C_{LRM}.$$
 (2.5)

Throughout this note, we will consider only roll moments that can be approximated by the one-term Eq. (2.5) rather than the more complete three-term Eq. (2.4). Similarly, the transverse liquid moment will be approximated by the first term of Eq. (2.2).

$$M_{L\tilde{Y}} + i M_{L\tilde{Z}} = m_L a^2 \dot{\phi}^2 \tau (C_{LSM} + i C_{LIM}) K_1 e^{i\phi_1}$$
 (2.6)

Since $^{\diamond}2\tau$ is $^{\diamond}\phi_1$, we are explicitly assigning equal weights to the spin rate and coning rate. As the moment is a response to the coning motion, the appearance of $^{\diamond}\phi_1$ is natural. The primary characteristic of the high Reynolds number Stewartson-Wedemeyer theory is the existence of a dominant inertia wave mode. This resonance mode is caused by an interaction of the <u>spinning</u> liquid with the coning motion and, thus, the spin rate is as important as the coning rate. At very low Reynolds numbers, these inertia waves are strongly damped and the influence of spin on the liquid moment should be much weaker. Indeed, Miller found no dependence of the roll moment on spin for $\tau < .3$ and very low Reynolds numbers. If the roll moment is independent of spin, the liquid roll moment coefficient is proportional to τ ($C_{LRM} = \tau$ C_R).

The frozen liquid value (Re = 0) of the liquid in-plane moment coefficient for constant amplitude coning motion is 10

$$C_{1 \text{ IM}} = 1/2 - \tau \left[1/4 + c^2/3a^2 \right]$$
 (2.7)

Thus the in-plane moment must always be strongly dependent on spin. The sidemoment coefficient, however, for $\tau < .3$ and low Reynolds number is probably

proportional to τ ($C_{LSM} = \tau$ C_S) and for these conditions both C_S and C_R may be more appropriate non-dimensional forms of these moments. (These new coefficients may, of course, be functions of τ .)

III. ROLL/SIDE MOMENT RELATION

In Reference 5, it is shown that

$$C_{1,RM} = -C_{1,SM} + (\tau \varepsilon/2) [1 - (4/3) (c/a)^2]$$
 (3.1)

or

$$C_R = -C_S + (\epsilon/2) [1 - (4/3) (c/a)^2]$$
 (3.2)

These equations are valid for linear fluid mechanics and state that for the simple case of constant amplitude motion ($\varepsilon=0$) the liquid roll moment is the negative of the liquid side moment. Since no boundary layer assumptions were used to obtain Eqs. (3.1-3.2), they should apply to the numerical results of Reference 12. If the complete nonlinear fluid equations are used, additional significant contributions to the quadratic liquid roll moment may be present. It is interesting to note that Eq. (3.1), for constant amplitude coning motion, is the linear condition for the liquid moment about the trajectory to be zero.

$$M_{LX} = M_{L\tilde{X}} \cos \alpha_t + M_{LSM} \sin \alpha_t = M_{L\tilde{X}} + M_{LSM} K_1 = 0$$
 (3.3)

Recently Pope 13 very carefully analyzed the yawsonde records of twelve unstable liquid-filled projectiles. All projectiles showed a growing coning motion and a rapid despin. Two of these missiles carried low viscosity liquids (Re $\sim 10^6$), four carried silicon oil (Re ~ 40), five carried corn syrup (Re ~ 10), and one had felt wedges impregnated with liquid white phosphorus.

Since the aerodynamic roll damping is easily measured, Pope was able to obtain liquid roll moment coefficients. He was unable to separate the aerodynamic and liquid side moments in the observed motion and, therefore, obtained "equivalent" side moment coefficients (C_{SMEQ}) containing both contributions. He was able to make estimates of the aerodynamic side moment coefficients (C_{SMA}). These three coefficients are given in Table 1 for the twelve yawsonde records. The rough agreement of C_{LRM} and C_{SMEQ} with Eq. (3.1) is very gratifying.

Finally, Miller's liquid roll moment data 6 for spinning cylinders coning at a constant cone angle of 20° are plotted in Figure 1 as open circles. c_{LSM} 's are computed by the linear boundary layer theory of Reference 10 and

plotted as solid circles. The qualitative agreement for the boundary layer theory at such low Reynolds numbers is quite encouraging.


Table 1. Pope's Results

Yawsonde	Re	τ	C _{LRM}	CSMEQ	C _{SMA}
404 a	2 x 10 ⁶	0.090	-0.05	0.05	<0.01
1339	1.8×10^6	0.090	-0.02	0.04	-0.005
1866	45.2	0.123	-0.055	0.050	-0.004
1867	45.2	0.123	-0.055	0.050	-0.004
1868	45.2	0.123	-0.060	0.053	-0.004
1955	20	0.087	-0.04	0.04	-0.010
1293	10	0.090	-0.03	0.02	-0.008
1313	10	0.088	-0.02	0.025	-0.008
1585	10	0.091	-0.025	0.02	-0.008
1587	10	0.093	-0.04	0.02	-0.008
1588	10	0.095	-0.03	0.02	-0.008
1693 ^b		0.094	-0.025	0.025	-0.005

 $[\]alpha$ Fill ratio for 404 was 87%, all others were 100%.

b This projectile contained white-phosphorus-impregnated felt wedges. 14

^{14.} D'Amico, W. P., "Aeroballistic Testing of the XM825 Projectile: Phase III, High Muzzle Velocity and High Quadrant Elevation," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03196, September 1982. (AD B068511)



REFERENCES

- D'Amico, W.P., Oskay, V., and Clay, W.H., "Flight Tests of the 155mm XM687 Binary Projectile and Associated Design Modification Prior to the Nicolet Winter Test 1974-1975," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-2748, May 1977. (AD B019969)
- 2. D'Amico, W.P., Clay, W.H., and Mark, A., "Yawsonde Data for M687-Type Projectiles with Application to Rapid Spin Decay and Stewartson-Type Spin-Up Instabilities," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03027, June 1980. (AD A089646)
- 3. D'Amico, W.P., Clay, W.H., and Mark, A., "Diagnostic Tests for Wick-Type Payloads and High-Viscosity Liquids," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-2913, April 1979. (AD A072812)
- 4. D'Amico, W.P. and Clay, W.H., "High Viscosity Liquid Payload Yawsonde Data for Small Launch Yaws," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03029, June 1980. (AD A088411)
- 5. Murphy, C.H., "Liquid Payload Roll Moment Induced by a Spinning and Coning Projectile," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Technical Report ARBRL-TR-02521, September 1983 (AD A133681). (See also AIAA-83-2142, August 1983.)
- 6. Miller, M.C., "Flight Instabilities of Spinning Projectiles Having Nonrigid Payloads," <u>Journal of Guidance</u>, Control, and Dynamics, Vol. 5, Mar-Apr 82, pp. 151-157.
- 7. D'Amico, W.P. and Miller, M.C., "Flight Instability Produced by a Rapidly Spinning, Highly Viscous Liquid," <u>Journal of Spacecraft and Rockets</u>, Vol. 16, Jan-Feb 79, pp. 62-64.
- 8. Stewartson, K., "On the Stability of a Spinning Top Containing Liquid," Journal of Fluid Mechanics, Vol. 5, Part 4, Sep 59, pp. 577-592.
- 9. Wedemeyer, E.H., "Viscous Correction to Stewartson's Stability Criterion," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Report 1325, June 1966 (AD 489687).
- 10. Murphy, C.H., "Angular Motion of a Spinning Projectile with a Viscous Liquid Payload," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03194, August 1982 (AD A118676). (See also Journal of Guidance, Control, and Dynamics, Vol. 6, Jul-Aug 83, pp. 280-286.)

REFERENCES (Continued)

- Vaughn, H.R., "Flight Dynamic Instabilities of Fluid-Filled Projectiles," Sandia Laboratories, Albuquerque, NM, SAND 78-0999, June 1978.
- 12. Vaughn, H.R., Oberkampf, W.L., and Wolfe, W.P., "Numerical Solution for a Spinning, Nutating, Fluid-Filled Cylinder," Sandia Laboratories, Albuquerque, NM, SAND 83-1789, December 1983.
- 13. Pope, R.L., "Further Analysis of Yawsonde Data from Some Liquid Payload Projectiles," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03329, December 1983. (AD A137256)
- 14. D'Amico, W. P., "Aeroballistic Testing of the XM825 Projectile: Phase III, High Muzzle Velocity and High Quadrant Elevation," US Ballistic Research Laboratory, Aberdeen Proving Ground, Maryland, BRL Memorandum Report ARBRL-MR-03196, September 1982. (AD B068511)

No. of Copies		No. of Copies	
	Administrator Defense Technical Information Center ATTN: DTIC-DDA Cameron Station Alexandria, VA 22314		Commander US Army Armament Munitions and Chemical Command ATTN: DRSMC-LEP-L(R) Rock Island, IL 61299
١.	Commander US Army Engineer Waterways Experiment Station ATTN: R.H. Malter P.O. Box 631 Vicksburg, MS 39180	1	Director Benet Weapons Laboratory Armament R&D Center US Army AMCCOM ATTN: DRSMC-LCB-TL(D) Watervliet, NY 12189
	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMD-ST 5001 Eisenhower Avenue Alexandria, VA 22333	1	Commander US Army Aviation Research and Development Command ATTN: DRDAV-E 4300 Goodfellow Blvd St. Louis, MO 63120
	Commander Armament R&D Center US Army AMCCOM ATTN: DRSMC-TDC(D) Dover, NJ 07801	1	Director US Army Air Mobility Research and Development Laboratory ATTN: SAVDL-D, W.J. McCroskey Ames Research Center Moffett Field, CA 94035
	Commander Armament R&D Center US Army AMCCOM ATTN: DRSMC-TSS(D) Dover, NJ 07801	1	Commander US Army Communications Research and Development Command ATTN: DRSEL-ATDD Fort Monmouth, NJ 07703
	Commander Armament R&D Center US Army AMCCOM ATTN: DRSMC-LCA-F(D) Mr. D. Mertz Mr. E. Falkowski Mr. A. Loeb	1	Commander US Army Communications Rsch and Development Command ATTN: DRSEL-L Fort Monmouth, NJ 07703
	Mr. R. Kline Mr. S. Kahn Mr. S. Wasserman Dover, NJ 07801	1	Commander US Army Electronics Research and Development Command Technical Support Activity ATTN: DELSD-L Fort Monmouth, NJ 07703

No. of Copies	Organization	No. of Copies	Organization
	Commander US Army Missile Command ATTN: DRSMI-YDL Redstone Arsenal, AL 35898	2	Commandant US Army Infantry School ATTN: ATSH-CD-CSO-OR Fort Benning, GA 31905
	Commander US Army Missile Command ATTN: DRSMI-R Redstone Arsenal, AL 35898	3	Commander Naval Air Systems Command ATTN: AIR-604 Washington, DC 20360
	Commander US Army Missile Command ATTN: DRSMI-RDK, Mr. R. Deep Redstone Arsenal, AL 35898	2	Commander David W. Taylor Naval Ship Research & Development Ctr ATTN: H.J. Lugt, Code 1802 S. de los Santos
1	Commander US Army Tank Automotive Command ATTN: DRSTA-TSL Warren, MI 48090	1	Bethesda, MD 20084 Commander Naval Surface Weapons Center
,	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL White Sands Missile Range NM 88002	4	Naval Surface Weapons Center Applied Aerodynamics Division ATTN: J.T. Frasier
l	Commander US Army Jefferson Proving Ground Madison, IN 47251		M. Ciment A.E. Winklemann W.C. Ragsdale Silver Spring, MD 20910
l	Commander US Army Research Office ATTN: Dr. R.E. Singleton	1	AFATL (DLDL, Dr. D.C.Daniel) Eglin AFB, FL 32542
F	Dr. Jagdish Chandra P.O. Box 12211 Research Triangle Park NC 27709	2	AFWAL (W.L. Hankey; J.S. Shang) Wright-Patterson AFB, OH 45433 Aerospace Corporation
ŀ	AGARD-NATO ATTN: R.H. Korkegi APO New York 09777		Aero-Engineering Subdivision ATTN: Walter F. Reddall El Segundo, CA 90245
	AFWL/SUL Kirtland AFB, NM 87117		Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035

No. of Copies			No. of Copies	<u>Organization</u>
5	Director National Aeronautics and Administration Ames Research Center ATTN: D.R. Chapman J. Rakich W.C. Rose	Space		Director Jet Propulsion Laboratory ATTN: L.M. Mach Tech Library 4800 Oak Grove Drive Pasadena, CA 91109
2	B. Wick P. Kutler Moffett Field, CA 94035 Director			Arnold Research Org., Inc. ATTN: J.D. Whitfield R.K. Matthews J.C. Adams Arnold AFB, TN 37389
	National Aeronautics and Space Administration Langley Research Center ATTN: J. South Tech Library Langley Station			AVCO Systems Division ATTN: B. Reeves 201 Lowell Street Wilmington, MA 01887
	Hampton, VA 23365		3	Boeing Commercial Airplane Company ATTN: R.A. Day, MS 1W-82
1	Director National Aeronautics and Administration	Space		P.E. Rubbert, MS 3N-19 J.D. McLean, MS-3N-19 Seattle, WA 98124
	Lewis Research Center ATTN: MS 60-3, Tech Lib 21000 Brookpark Road Cleveland, OH 44135		3	Calspan Corporation ATTN: A. Ritter G. Homicz W. Rae P.O. Box 400
2	Director National Aeronautics and			Buffalo, NY 14225
	Space Administration Marshall Space Flight Cer ATTN: A.R. Felix, Chief S&E-AERO-AE Dr. W.W. Fowlis	iter	1	General Dynamics ATTN: Research Lib 2246 P.O. Box 748 Fort Worth, TX 76101
3	Huntsville, AL 35812 Aerospace Corporation ATTN: H. Mirels		1	General Electric Company, RESD ATTN: W.J. East 3198 Chestnut Street Philadelphia, PA 19101
	R.L. Varwig Aerophysics Lab. P.O. Box 92957 Los Angeles, CA 90009		2	Grumman Aerospace Corporation ATTN: R.E. Melnik L.G. Kaufman
	LOS Allyeres, UN 30003			Bethpage, NY 11714

No. of		No. of	
Copies	Organization	Copies	<u>Organization</u>
	Lockheed-Georgia Company ATTN: B.H. Little, Jr. G.A. Pounds Dept 72074, Zone 403 86 South Cobb Drive Marietta, GA 30062		United Aircraft Corporation Research Laboratory ATTN: M.J. Werle Library East Hartford, CT 06108 Vought Systems Division
;	Lockheed Missiles and Space Company ATTN: Tech Info Center 3251 Hanover Street Palo Alto, CA 94304		LTV Aerospace Corporation ATTN: J.M. Cooksey, Chief, Gas Dynamics Lab, 2-53700 P.O. Box 5907 Dallas, TX 75222
	Martin-Marietta Corporation ATTN: S.H. Maslen S.C. Traugott H. Obremski 1450 S. Rolling Road Baltimore, MD 21227	1	Arizona State University Department of Mechanical and Energy Systems Engineering ATTN: G.P. Neitzel Tempe, AZ 85281
	McDonnell Douglas Astronautics Corporation ATTN: J. Xerikos H. Tang 5301 Bolsa Avenue Huntington Beach, CA 92647	1	Cornell University Graduate School of Aero Engr ATTN: Library Ithaca, NY 14850
1	McDonnell-Douglas Corporation Douglas Aircraft Company ATTN: T. Cebeci 3855 Lakewood Boulevard Long Beach, CA 90801	3	California Institute of Technology ATTN: Tech Library H.B. Keller, Math Dept D. Coles, Aero Dept Pasadena, CA 91109
	Rockwell International Science Center ATTN: Dr. V. Shankar Dr. N. Malmuth Dr. S. Chakravarthy	1	Illinois Institute of Tech ATTN: H. M. Nagib 3300 South Federal Chicago, IL 60616
4	1049 Camino Dos Rios Thousand Oaks, CA 91360 Director Sandia National Laboratory ATTN: H.W. Vaughn F.G. Blottner W.L. Oberkampf Tech Lib Albuquerque, NM 87115	1	The Johns Hopkins University Dept of Mech and Materials Sci ATTN: S. Corrsin Baltimore, MD 21218

No. of Copies		No. of Copies	
4	Director Johns Hopkins University Applied Physics Laboratory ATTN: Dr. R.D. Whiting Dr. D.A. Hurdif Dr. R.S. Hirsh Mr. E.R. Bohn	2	Polytechnic Institute of New York ATTN: G. Moretti S.G. Rubin Route 110 Farmingdale, NY 11735
	Johns Hopkins Road Laurel, MD 20707	3	Princeton University James Forrestal Research Ctr Gas Dynamics Laboratory
3	Massachusetts Institute of Technology ATTN: E. Covert H. Greenspan Tech Lib		ATTN: S.M. Bogdonoff S.I. Cheng Tech Library Princeton, NJ 08540
2	77 Massachusetts Avenue Cambridge, MA 02139 North Carolina State University	31	Purdue University Thermal Science & Prop Ctr ATTN: Tech Library W. Lafayette, IN 47906
	Mechanical and Aerospace Engineering Department ATTN: F.F. DeJarnette J.C. Williams Raleigh, NC 27607	1	Rensselaer Polytechnic Institute Department of Math Sciences ATTN: R.C. Diprima Troy, NY 12181
1	Northwestern University Department of Engineering Science and Applied Mathematics ATTN: Dr. S.H. Davis Evanston, IL 60201	1	Rutgers University Department of Mechanical, Industrial, and Aerospace Engineering ATTN: R.H. Page New Brunswick, NJ 08903
1	Notre Dame University Department of Aero Engr ATTN: T.J. Mueller South Bend, IN 46556	1	San Diego State University Department of Aerospace Engr and Engineering Mechanics College of Engineering
2	Ohio State University Dept of Aeronautical and Astronautical Engineering ATTN: S.L. Petrie 0.R. Burggraf Columbus, OH 43210	1	ATTN: K.C. Wang San Diego, CA 92182 Southern Methodist University Department of Civil and Mechanical Engineering ATTN: R.L. Simpson Dallas, TX 75222

No. of Copies		No. of Copies	
	Southwest Research Institute Applied Mechanics Reviews 8500 Culebra Road San Antonio, TX 78228	2	University of Maryland ATTN: W. Melnik J.D. Anderson College Park, MD 20740
	Stanford University Dept of Aeronautics/Astronautics ATTN: Dr. J.L. Steger Dr. S. Chakravarthy Stanford, CA 94305	1	University of Maryland - Baltimore County Department of Mathematics ATTN: Dr. Y.M. Lynn 5401 Wilkens Avenue Baltimore, MD 21228
	Texas A&M University College of Engineering ATTN: R.H. Page College Station, TX 77843	1	University of Santa Clara Department of Physics ATIN: R. Greeley Santa Clara, CA 95053
	University of California - Davis ATTN: H.A. Dwyer Davis, CA 95616	2 (University of Southern California Department of Aerospace
	University of California - Berkeley Department of Aerospace Engineering ATTN: M. Holt	2	Engineering ATTN: T. Maxworthy P. Weidman Los Angeles, CA 90007 University of Michigan Department of Aeronautical
2	Berkeley, CA 94720 University of California - San Diego Department of Aerospace Engineering and Mechanical Engineering Sciences ATTN: P. Libby Tech Library La Jolla, CA 92037	2	Department of Aeronautical Engineering ATTN: W.W. Wilmarth Tech Library East Engineering Building Ann Arbor, MI 48104 University of Rochester Department of Mechanical and Aerospace Sciences
1	University of Cincinnati Department of Aerospace Engineering ATTN: R.T. Davis Cincinnati, OH 45221	1	ATTN: R. Gans A. Clark, Jr. Rochester, NY 14627 University of Tennessee Department of Physics
1	University of Colorado Department of Astro-Geophysics ATTN: E.R. Benton Boulder, CO 80302		ATTN: Prof. W.E. Scott Knoxville, TN 37916

No. of	:	No. of	
Copies	<u>Organization</u>	Copies	Organization
1	University of Texas Department of Aerospace Engineering ATTN: J.C. Westkaemper Austin, TX 78712		Woods Hole Oceanographic Institute ATTN: J.A. Whitehead Woods Hole, MA 02543 Virginia Polytechnic Institute
1	University of Virginia Department of Aerospace Engineering & Engineering Physics ATTN: I.D. Jacobson Charlottesville, VA 22904		and State University Department of Aerospace Engineering ATTN: Tech Library Dr. W. Saric Dr. T. Herbert Blacksburg, VA 24061
	University of Virginia Research Laboratories for the Engineering Sciences ATTN: Prof. H. G. Wood P.O. Box 3366 University Station Charlottesville, VA 22903	Aberde Direct	en Proving Ground or, USAMSAA : DRXSY-D DRXSY-MP, H. Cohen
	University of Washington Department of Mechanical Engineering ATTN: Tech Library Seattle, WA 98105	ATTN	der, USATECOM : DRSTE-TO-F der, CRDC, USAAMCCOM : DRSMC-CLN W. C. Dee
	University of Wyoming ATTN: D.L. Boyer University Station Laramie, WY 82071		DRSMC-CLN DRSMC-CLB-PA DRSMC-CLB-PA, M.C. Miller DRSMC-CLJ-L
	U.S. Military Academy Department of Physics ATTN: MAJ G. Heuser West Point, NY 10996		